Table 10. Estimated numbers of persons living with AIDS, by year and selected characteristics, 2000–2004—United States

	2000	2001	2002	2003	2004
Age as of end of year (yrs)					
<13	2,843	2,611	2,353	2,034	1,695
13–14	513	640	718	759	776
15–19	1,212	1,355	1,569	1,789	2,043
20–24	3,732	3,846	4,045	4,479	4,942
25–29	14,081	13,338	13,036	13,170	13,721
30–34	40,392	38,347	36,636	35,058	33,669
35–39	72,320	73,246	72,596	70,827	68,389
40–44	71,600	77,379	83,415	89,732	95,874
45–49	53,835	60,650	67,393	74,451	81,636
50–54	31,610	37,146	43,019	48,934	56,336
55–59	14,859	17,683	21,159	25,376	30,033
60–64	7,230	8,496	10,256	11,988	14,228
≥65	5,950	7,036	8,300	9,880	11,850
Race/ethnicity					
White, not Hispanic	119,420	125,279	131,672	138,238	145,935
Black, not Hispanic	132,090	142,552	153,512	165,246	178,233
Hispanic	63,894	68,673	73,463	78,557	84,001
Asian/Pacific Islander	2,612	2,893	3,242	3,638	4,045
American Indian/Alaska Native	1,099	1,187	1,288	1,404	1,506
Transmission category Male adult or adolescent Male-to-male sexual contact Injection drug use	142,069 57,778	151,511 60,150	161,937 62,335	173,086 64,432	185,326 67,091
Male-to-male sexual contact and injection drug use	22,603	23,293	23,953	24,627	25,367
Heterosexual contact	22,568	25,480	28,738	32,071	35,671
Other ^a	3,708	3,833	3,954	4,057	4,242
Subtotal	248,726	264,267	280,917	298,272	317,698
Female adult or adolescent					
Injection drug use	26,656	27,924	28,955	30,033	31,472
Heterosexual contact	39,121	43,708	48,559	53,947	59,599
Other ^a	1,824	1,977	2,125	2,282	2,494
Subtotal	67,601	73,610	79,639	86,262	93,566
Child (<13 yrs at diagnosis)					
Perinatal	3,706	3,753	3,799	3,807	3,797
Other ^b	142	142	140	134	131
Subtotal	3,848	3,895	3,939	3,941	3,927
Region of residence					
Northeast	96,201	102,283	107,464	112,960	120,099
Midwest	31,825	34,128	36,808	40,104	43,368
South	118,784	127,996	138,386	149,159	161,759
West	64,221	67,797	71,957	76,003	79,547
U.S. dependencies, possessions, and associated nations	9,146	9,570	9,881	10,251	10,419
Total ^c	320,177	341,773	364,496	388,477	415,193

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor. The estimates do not include adjustment for incomplete reporting.

^a Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified.

^b Includes hemophilia, blood transfusion, and risk factor not reported or not identified.

^c Includes persons of unknown race or multiple races and persons of unknown sex. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.